

L Number	Hits	Search Text	DB	Time stamp
-	76298	(access near control) or (access near request\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:12
-	38	(avoid\$4 or "not" or limit\$4) with (complet\$4 or process\$4 or apply\$4 or analyz\$4 or perform\$4) with (all or every or whole) with (rule or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:17
-	16250	(filter\$3 or disregard\$3 or limit\$5) with (rule or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:20
-	110446	(access or rule or policy).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:20
-	1180	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:22
-	91	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:30
-	37	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:34
-	17	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:42

-	13	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:42
-	9	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4 and ((master or main or primary) with (rule or policy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:44
-	9	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4 and ((master or main or primary) with (rule or policy)) and (hierarchy or hierarchi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 12:46
-	9	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4 and ((master or main or primary) with (rule or policy)) and (hierarchy or hierarchi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:23
-	2	6460141.URPN.	USPAT	2004/02/17 16:51

-	10	("5557747" "5968176" "5983270" "5983350" "6088451" "6151606" "6158010" "6205415" "6233542" "6233543").PN.	USPAT	2004/02/17 16:52
-	0	09483645.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:23
-	15	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:30
-	21	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:31
-	30	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy or right or privilege or attribute or property or resource).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:59

-	15	(((((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy or right or privilege or attribute or property or resource).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4) not (((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy) and ((deci\$5 or determin\$4 or "find out" or "finding out") with (access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:48
-	0	"rsa security".ascii.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:48
-	0	"rsa security inc".ascii.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:48
-	0	"rsa security inc.".ascii.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:49
-	0	"rsa security inc.".as..	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:49
-	0	"rsa security inc.".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:49
-	37	"rsa security ".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:51
-	0	"securant ".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:51
-	0	"securant".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:51

-	0	"cleartrust".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:52
-	0	"clear trust".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:52
-	110	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rulle or policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 17:56
-	60	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy)) and ((access or rule or policy or right or privilege or attribute or property or resource).ti.)) and (access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rule or policy or right or privilege or attribute) and ((access) with (allow\$4 or grant\$4 or valid\$5)) and ((user or requestor or client or customer or computer) near (id or identity or identifier or identification or code or name)) and ((resource or object) near (id or identity or identifier or identification or code or name)) and filter\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:00
-	2500	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy or right or privilege or attribute)) and ((access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rule or policy or right or privilege or attribute) and ((perform\$4 or apply\$4 or process\$4) with (rule or policy or right or privilege or attribute))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:02
-	2002	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy or right or privilege or attribute)) and ((access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rule or policy or right or privilege or attribute) and ((perform\$4 or apply\$4 or process\$4) with (rule or policy or right or privilege or attribute)) and ((determin\$5 or decision or decid\$4 or validat\$4 match\$4) with (rule or policy or right or privilege or attribute))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:04
-	458	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy or right or privilege or attribute)) and ((access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rule or policy or right or privilege or attribute) and ((perform\$4 or apply\$4 or process\$4) with (rule or policy or right or privilege or attribute)) and ((determin\$5 or decision or decid\$4 or validat\$4 match\$4) with (rule or policy or right or privilege or attribute)) and ((user or requestor or client or customer or computer) near2 (id or identity or identifier or identification or code)) and ((resource or object) near2 (id or identity or identifier or identification or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:05

-	144	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy or right or privilege or attribute)) and ((access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rule or policy or right or privilege or attribute) and ((perform\$4 or apply\$4 or process\$4) with (rule or policy or right or privilege or attribute)) and ((determin\$5 or decision or decid\$4 or validat\$4 match\$4) with (rule or policy or right or privilege or attribute)) and ((user or requestor or client or customer or computer) near2 (id or identity or identifier or identification or code)) same ((resource or object) near2 (id or identity or identifier or identification or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:08
-	10	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy or right or privilege or attribute)) and ((access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rule or policy or right or privilege or attribute) and ((perform\$4 or apply\$4 or process\$4) with (rule or policy or right or privilege or attribute)) and ((determin\$5 or decision or decid\$4 or validat\$4 match\$4) with (rule or policy or right or privilege or attribute)) and ((user or requestor or client or customer or computer) near2 (id or identity or identifier or identification or code)) same ((resource or object) near2 (id or identity or identifier or identification or code)) and disregard\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:07
-	111	((filter\$3 or disregard\$3 or limit\$5) with (rule or policy or right or privilege or attribute)) and ((access with request\$4) and (select\$4 indicat\$4 choos\$4 identif\$4 assign\$4) with (rule or policy or right or privilege or attribute) and ((perform\$4 or apply\$4 or process\$4) with (rule or policy or right or privilege or attribute)) and ((determin\$5 or decision or decid\$4 or validat\$4 match\$4) with (rule or policy or right or privilege or attribute)) and ((user or requestor or client or customer or computer) near2 (id or identity or identifier or identification or code)) same ((resource or object) near2 (id or identity or identifier or identification or code)) and @ad<20010707	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:24
-	22274	(manag\$4 or control\$5) with (resource or object or property) with (access\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:25
-	247	(manag\$4 or control\$5) with (resource or object or property) with (access\$4) and (filter\$4) near2 (rule or policy or right or privilege)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:29
-	35	(manag\$4 or control\$5) with (resource or object or property) with (access\$4) and (filter\$4) near2 (rule or policy or right or privilege) and ((select\$5) with set with (rule or policy or right))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 18:30